



PERMIT GVA0051

Pursuant to:

Greater Vancouver Regional District Air Quality Management Bylaw No. 1082, 2008
and the BC Environmental Management Act, S.B.C 2003, c.53

Issued to:

CIPA Lumber Co. Ltd.
(the "Permittee")

To Authorize:

the discharge of air contaminants to the air from a
Softwood Veneer Manufacturing and Drying Plant

Located at:


797 Carlisle Road Annacis Island, Delta, BC V3M 5P4

Effective Period:

The terms and conditions set out in the Permit apply to the existing or planned works as of
October 13, 2015 and this permit will expire on December 31, 2030.

All previous versions of this Permit are hereby rescinded and rendered null and void.

Issued: November 30, 1992
Amended: October 13, 2015


Kathy Preston, Ph.D., P.Eng.
Assistant District Director

GREATER VANCOUVER REGIONAL DISTRICT AIR QUALITY MANAGEMENT PERMIT

SECTION 1 – AUTHORIZED EMISSION SOURCES

Authorization to discharge air contaminants from the authorized Emission Sources and Works listed below is subject to the specified terms and conditions.

Approximate locations of the emission sources are shown on the Site Plan in section 4.

EMISSION SOURCE 14: Veneer transfer associated with primary round-up lathe discharging through a Cyclone Exhaust(s).

MAXIMUM EMISSION FLOW RATE: **1000** m³/min
MAXIMUM ANNUAL OPERATING HOURS: **8760** hrs/yr

MAXIMUM EMISSION QUALITY:

1. 20 mg/m³ Particulate Matter
2. 10% Opacity. Based on a six minute average.

WORKS AND PROCEDURES:

Two cyclones (east & west) and related appurtenances, together with good operating practices.

EMISSION SOURCE 15: No. 2 re-dryer & No. 3 & 4 veneer dryers and veneer dryer process area discharging through a WESP Exhaust(s).

MAXIMUM EMISSION FLOW RATE: **3000** m³/min
MAXIMUM ANNUAL OPERATING HOURS: **8760** hrs/yr
MAXIMUM PRIMARY BURNER INPUT FIRING RATE: **135.89** GJ/hr

MAXIMUM EMISSION QUALITY:


1. 50 mg/m³ Particulate Matter
2. 5% Opacity. Based on a six minute average.
3. Particulate: Includes condensible particulate matter (CPM) emissions.

WORKS AND PROCEDURES:

A.H Lundberg Systems Limited wet electrostatic precipitator (Model 1013-300 2TR E-tube, control efficiency 90%) and related appurtenances together with good operating practices.

The firing of the No. 3 veneer dryer with natural gas (propane standby) using low-NO_x line burners (Maxon Model No. 6-BI-XF-STR-SPL (6 burners) and Model No. 5-BI-XF-STR-SPL (6 burners) and related appurtenances together with good combustion practices and operating procedures.

Issued: November 30, 1992
Amended: October 13, 2015


Kathy Preston, Ph.D., P.Eng.
Assistant District Director

Permit GVA0051

GREATER VANCOUVER REGIONAL DISTRICT AIR QUALITY MANAGEMENT PERMIT

The firing of the No. 4 veneer dryer with natural gas (propane standby) using low-NOx line burners and related appurtenances together with good combustion practices and operating procedures.

The heating of the No. 2 re-dryer with waste heat from No. 3 & No. 4 dryers and related appurtenances together with good operating procedures.

Each veneer dryer and the associated wet electrostatic precipitator must be maintained and operated at full efficiency and effectiveness so that the emission of air contaminants is kept at the lowest practicable levels.

Typical products of natural gas combustion at an individual maximum firing rate 59.083 GJ/hr for the No. 3 veneer dryer and 76.808 GJ/hr for the No. 4 veneer dryer for a maximum combined firing rate of 135.89 GJ/hr. Authorized standby fuel is propane.

Where effective measures are not taken to minimize fugitive emissions the District Director may require that the equipment or structures in which processing, handling, and storage are done, be tightly closed, modified, or operated in such a way that air contaminants are minimized, controlled or removed prior to discharge to atmosphere.

Permittee shall continuously monitor and record baseline operating parameters for the wet electrostatic precipitator (WESP). The minimum operating parameters to be maintained shall include quench inlet temperature, WESP outlet temperature, transformer voltage, transformer amperage and spark rate. Records are to be maintained and made available for inspection by Metro Vancouver staff for a minimum operating period of three years.

Stack Information:

Height: 18.3 m
Diameter: 2.1m
Exit Temperature (°C): 63

EMISSION SOURCE 16: Veneer dryers emergency abort gates discharging through a Stack(s).


MAXIMUM EMISSION FLOW RATE: **3000** m³/min
MAXIMUM ANNUAL OPERATING HOURS: **0** hrs/yr (See Works & Procedures)
MAXIMUM PRIMARY BURNER INPUT FIRING RATE: **135.89** GJ/hr

MAXIMUM EMISSION QUALITY:

WORKS AND PROCEDURES:

No air contaminants shall be emitted from this source except in the event of an Emergency Procedure

Issued: November 30, 1992
Amended: October 13, 2015


Kathy Preston, Ph.D., P.Eng.
Assistant District Director

Permit GVA0051

GREATER VANCOUVER REGIONAL DISTRICT AIR QUALITY MANAGEMENT PERMIT

as defined in Section 2, Subsection G of the permit.

Actions taken by the Permittee to purge the veneer dryers in accordance with CSA requirements to prevent fire or explosion are not restricted.

EMISSION SOURCE 17: Dust Collection System Filter Bags.

MAXIMUM EMISSION FLOW RATE: **500** m³/min
MAXIMUM ANNUAL OPERATING HOURS: **8760** hrs/yr


MAXIMUM EMISSION QUALITY:

1. 5% Opacity.

WORKS AND PROCEDURES:

Good operating practices.

Issued: November 30, 1992
Amended: October 13, 2015


Kathy Preston, Ph.D., P.Eng.
Assistant District Director

Permit GVA0051

GREATER VANCOUVER REGIONAL DISTRICT AIR QUALITY MANAGEMENT PERMIT

SECTION 2 – GENERAL REQUIREMENTS AND CONDITIONS

A. AUTHORIZED WORKS, PROCEDURES AND SOURCES

Works and procedures, which this permit authorizes in order to control the discharge of air contaminants, shall be employed during all operating periods of the related sources. The permit holder shall regularly inspect and maintain all such works, procedures and sources.

The District Director must be provided with reasonable notice of any changes to or replacement of authorized works, procedures or sources. Any modification of authorized works, procedures or sources must be approved by the District Director in advance of operation. For certainty, this does not include routine maintenance or repair.

The discharge criteria described in Section 1 of this permit are applicable on the issued or last amended date of this permit unless specified otherwise. If a date different to the issued or last amended date is specified, the existing works, procedures and sources must be maintained in good operating condition and operated in a manner to minimize emissions.

B. NOTIFICATION OF MONITORING NON-COMPLIANCE

The District Director must be notified immediately of any emission monitoring results, whether from a continuous emissions monitor or periodic testing, which exceed the quantity or quality authorized in Section 1 of this permit. Notification shall be made to Metro Vancouver's 24-hour number: 604-436-6777, or to regulationenforcement@metrovancover.org.

C. POLLUTION NOT PERMITTED

Notwithstanding any conditions in this permit, no person shall discharge or allow or cause the discharge of any air contaminant so as to cause pollution as defined in the Greater Vancouver Regional District Air Quality Management Bylaw No. 1082, 2008 and the Environmental Management Act.

D. BYPASSES


The discharge of air contaminants that have bypassed authorized control works is prohibited unless advance approval has been obtained and confirmed in writing from the District Director.

E. EMERGENCY PROCEDURES

In the event of an emergency or condition beyond the control of the Permittee that prevents effective operation of the authorized works or procedures or leads to unauthorized discharge, the Permittee shall:

1. Comply with all applicable statutory requirements;
2. Immediately notify the District Director of the emergency or condition and of contingency actions invoked or planned to mitigate adverse impacts and restore compliance; Notification shall be made to Metro Vancouver's 24-hour number: 604-436-6777; and
3. Take appropriate remedial action for the prevention or mitigation of pollution.

Issued: November 30, 1992
Amended: October 13, 2015


Kathy Preston, Ph.D., P.Eng.
Assistant District Director

Permit GVA0051

GREATER VANCOUVER REGIONAL DISTRICT AIR QUALITY MANAGEMENT PERMIT

The District Director may specify contingency actions to be implemented to protect human health and the environment while authorized works are being restored and/or corrective actions are being taken to prevent unauthorized discharges.

If an emergency situation results in a "spill" as defined in the Environmental Management Act Spill Reporting Regulation, the spill shall also be reported immediately to the Provincial Emergency Program by telephoning 1-800-663-3456.

F. AMENDMENTS


The terms and conditions of this permit may be amended, as authorized by applicable legislation. New works, procedures or sources or alterations to existing works, procedures or sources must receive authorization in advance of operation.

G. STANDARD CONDITIONS AND DEFINITIONS

Unless otherwise specified, the following applies to this permit:

1. Gaseous volumes are corrected to standard conditions of 20 degrees Celsius (°C) and 101.325 kilo Pascals (kPa) with zero percent moisture.
2. Contaminant concentrations from the combustion of specific fuel types are corrected to the following Oxygen content, unless specified otherwise:
 - 3% O₂ for natural gas and fuel oil;
 - 8% O₂ for wood fuel
3. Where compliance testing is required, each contaminant concentration limit in this permit will be assessed for compliance based on a valid test using test methods approved by the District Director.
4. Visual opacity measurements are made at the point of maximum density, nearest the discharge point and exclude the effect of condensed, uncombined water droplets. Compliance determinations are based on a six-minute average in accordance with the provincial "Source Testing Code for the Visual Measurement of The Opacity of Emissions from Stationary Sources". Continuous Emission Monitor System (CEMS) opacity compliance determinations are based on a one-hour average (taken from the top of each hour).
5. If authorized in Section 1 of this permit, standby fuel use is restricted to a maximum of 350 hours per year and to those periods during which the primary authorized fuel is not available. Fuel oil sulphur content shall not exceed 15 milligrams per kilogram (mg/kg) and emissions during fuel oil firing shall not exceed 10% opacity.
6. Definitions in the Environmental Management Act and Air Quality Management Bylaw apply to terminology used in this permit.
7. Threshold Limit Values (TLV) refer to the Time Weighted Average (TWA) exposure limits for substances specified in the American Conference of Governmental Industrial Hygienists Threshold Limit Values handbook, current on the latest date that this permit issuance or amendment came into effect.
8. Sulphur Oxides (SO_x) are expressed as Sulphur Dioxide.
9. Nitrogen Oxides (NO_x) are expressed as Nitrogen Dioxide.

Issued: November 30, 1992
Amended: October 13, 2015


Kathy Preston, Ph.D., P.Eng.
Assistant District Director

Permit GVA0051

GREATER VANCOUVER REGIONAL DISTRICT AIR QUALITY MANAGEMENT PERMIT

10. The Canadian Council of Ministers of the Environment (CCME) "Environmental Guidelines for Controlling Emissions of Volatile Organic Compounds from Aboveground Storage Tanks (June 1995, CCME-EPC-87E)" shall be adhered to for all applicable tanks unless otherwise stated in this permit.
11. Authorized 'Maximum Annual Operating Hours' of 8760 hours per year for an emission source is equivalent to authorization for continuous operation of the emission source for an entire calendar year, including leap years.


H. RECORDS RETENTION

All records and supporting documentation relating to this permit must be kept for at least three years after the date of preparation or receipt thereof, and be made available for inspection within 48 hours of a request by an Officer.

I. HEATING, VENTILATION, AIR CONDITIONING AND INTERNAL COMBUSTION ENGINES

Air contaminants discharged from any natural gas-fired heating, ventilation or air conditioning system for buildings and any internal combustion engine located at the discharge site shall be maintained and operated in a manner prescribed by the manufacturer to ensure good combustion of the fuel with minimum discharge of air contaminants.

Issued: November 30, 1992
Amended: October 13, 2015


Kathy Preston, Ph.D., P.Eng.
Assistant District Director

Permit GVA0051

GREATER VANCOUVER REGIONAL DISTRICT AIR QUALITY MANAGEMENT PERMIT

SECTION 3 – REPORTING REQUIREMENTS

A. MONITORING REQUIREMENTS AND REPORTING


Unless otherwise approved by the District Director prior to any sampling or analysis, all measurements shall be performed by an independent agency in accordance with Metro Vancouver Air Emissions Sampling Program Manual of Methods and Standard Operating Procedures and the BC Ministry of Environment Field Sampling Manual, as they may be amended from time to time. Any variance from these procedures must receive prior approval from the District Director.

A minimum of 3 working days advance notice must be given prior to taking measurements required by this Monitoring and Sampling Program. Notification must be given to the Metro Vancouver Environmental Regulation & Enforcement Division (phone 604-436-6777, Fax 604-436-6707, email regulationenforcement@metrovancover.org).

Unless otherwise specified, sampling shall be performed under operating conditions representative of the previous 90 calendar days of operation. All field data and calculations must be submitted with monitoring results and they shall be reported in the metric units which are used in this permit. These submissions shall include process data relevant to the operation of the source of the emissions and the performance of the emission control works.

The permit holder shall conduct the following monitoring and sampling and submit electronic reports of the results to the District Director by the dates specified below using a password enabled web based application provided by Metro Vancouver.

EMISSION SOURCE	INITIAL DUE DATE	SUBSEQUENT DUE DATES	REQUIREMENT	PARAMETER(S)	TEST METHOD	REPORT TYPE
15	September 30, 2016	N/A	The measured discharge rate and concentration of particulate matter	Methane, Nitrogen Oxides,	Metro Vancouver	Stack



 Kathy Preston, Ph.D., P.Eng.
 Assistant District Director

Issued: November 30, 1992
 Amended: October 13, 2015

Permit GVA0051

GREATER VANCOUVER REGIONAL DISTRICT AIR QUALITY MANAGEMENT PERMIT

EMISSION SOURCE	INITIAL DUE DATE	SUBSEQUENT DUE DATES	REQUIREMENT	PARAMETER(S)	TEST METHOD	REPORT TYPE
			including condensible particulate matter extractable by hexane, nitrogen oxides, sulphur oxides, ammonia, methane and volatile organic compounds in the emissions. The report shall also detail the operating conditions including type of veneer being dried, production rates for individual veneer dryers (including normal or typical production rates) together with details of the WESP operational parameters recorded during the survey period. Alternative methodologies may be considered if a draft test plan including rationale and proposed test protocols is submitted to Metro Vancouver at least 60 days prior to conducting the stack test.	Particulate Matter, Total Volatile Organic Compounds, Sulphur Oxides, Ammonia	AQ02/02/1.00M, EPA Test Method CTM-027, EPA Test Method 7E, EPA Test Method 6C, EPA Test Method CTM-042	
15	September 30, 2017	On or before September 30 for each subsequent year.	The measured discharge rate and concentration of particulate matter including condensible particulate matter, extractable by hexane, nitrogen oxides, methane and volatile organic compounds in the emissions. The report	Nitrogen Oxides, Particulate Matter, Total Volatile Organic Compounds, Methane	Metro Vancouver AQ02/02/1.00M, EPA Test Method 7E, EPA Test Method	Stack


 Kathy Preston, Ph.D., P.Eng.
 Assistant District Director

Issued: November 30, 1992
 Amended: October 13, 2015


Permit GVA0051

GREATER VANCOUVER REGIONAL DISTRICT AIR QUALITY MANAGEMENT PERMIT

EMISSION SOURCE	INITIAL DUE DATE	SUBSEQUENT DUE DATES	REQUIREMENT	PARAMETER(S)	TEST METHOD	REPORT TYPE
			<p>shall also detail the operating conditions including type of veneer being dried, production rates for individual veneer dryers (including normal or typical production rates) together with details of the WESP operational parameters recorded during the survey period.</p> <p>Alternative methodologies may be considered if a draft test plan including rationale and proposed test protocols is submitted to Metro Vancouver at least 60 days prior to conducting the stack test.</p>		CTM-042	

Issued: November 30, 1992
 Amended: October 13, 2015

Permit GVA0051



 Kathy Preston, Ph.D., P.Eng.
 Assistant District Director

GREATER VANCOUVER REGIONAL DISTRICT AIR QUALITY MANAGEMENT PERMIT

B. INFORMATION REPORTING REQUIREMENTS

The permit holder shall submit electronic reports containing the required information to the District Director by the dates specified below using a password enabled web based application provided by Metro Vancouver.

EMISSION SOURCE	INITIAL DUE DATE	SUBSEQUENT DUE DATES	REQUIREMENT	REPORT TYPE
15	March 31, 2016	On or before March 31 for each subsequent year.	Written report summarizing the inspection and maintenance program conducted during the previous calendar year on the wet electrostatic precipitator (WESP).	Information - Other
16	March 31, 2016	On or before March 31 for each subsequent year.	A written report detailing the operation of the emergency bypass abort system during the previous calendar year. The report shall detail the calendar date, cause and duration of veneer dryer abort system activation together with remedial actions taken to mitigate emissions.	Information - Other
Facility	March 31, 2016	On or before March 31 for each subsequent year.	Written report providing details of the types and amounts of principal products produced and principal raw materials used in the preceding calendar year.	Materials and Products
Facility	March 31, 2016	On or before March 31 for each subsequent year.	Written report detailing the types and amounts of fuel burned in the preceding calendar year.	Fuel Use
Facility	March 31, 2016	On or before March 31 for each subsequent year.	Written report providing details of the types, amounts and end use of organic solvents and organic solvent-containing materials used in the preceding calendar year.	Solvent Use


 Kathy Preston, Ph.D., P.Eng.
 Assistant District Director

Issued: November 30, 1992
 Amended: October 13, 2015

Permit GVA0051

GREATER VANCOUVER REGIONAL DISTRICT AIR QUALITY MANAGEMENT PERMIT

15	March 31, 2016	On or before March 31 for each subsequent year.	Written report providing details of the total number of hours and days operated in the preceding calendar year. Detailed records are to be maintained in a written bound log or other format approved by the District Director and made available for inspection by Metro Vancouver staff for a minimum period of three years.	Operating Period
17	March 31, 2016	On or before March 31 for each subsequent year.	Written report indicating inspection frequency, bag condition and action taken or proposed to solve any problems detected for the baghouse.	Baghouse

C. AMENDED OR ADDITIONAL REQUIREMENTS

Based on the results of the monitoring program, including the stack sampling results or any other information, the District Director may:

1. Amend the monitoring and reporting requirement of any of the information required by this Permit including plans, programs and studies.
2. Require additional investigations, tests, surveys or studies.

Issued: November 30, 1992
 Amended: October 13, 2015


 Kathy Preston, Ph.D., P.Eng.
 Assistant District Director


Permit GVA0051

GREATER VANCOUVER REGIONAL DISTRICT AIR QUALITY MANAGEMENT PERMIT

SECTION 4 – SITE PLAN

LEGAL DESCRIPTION OF DISCHARGE SITE: The Municipality of Delta, PID: 009-141-626, Lot 21, District Lot 312, Group 1, New Westminster District, Plan 29905

The following site plan is not to scale and the locations of the discharge points are approximate.



Issued: November 30, 1992
Amended: October 13, 2015

Kathy Preston
Kathy Preston, Ph.D., P.Eng.
Assistant District Director

Permit GVA0051