



Policy & Planning Department

Telephone: 604-432-6375 Fax: 604-436-6970

PERMIT GVA0579

(Under the provisions of the GVRD Air Quality Management Bylaw No. 937, 1999
and the BC Environmental Management Act)

WESTERN DRUM RECYCLERS LTD.

IS AUTHORIZED TO DISCHARGE AIR CONTAMINANTS

FROM A DRUM RECYCLING AND REFINISHING PLANT

LOCATED AT 23397 FISHERMAN AVE, MAPLE RIDGE, BC, CANADA - V2X 7E6

This permit has been issued under the terms and conditions
prescribed in the attached Schedules A, B, C, D, E, F, G, & H
for works existing or planned on

AUG 3 1 2006

R. H. ROBB, DISTRICT DIRECTOR

INDEX OF SCHEDULES

Schedule A.....Site Plan

Schedule B.....General Requirements

Schedule C.....Emission Monitoring, Sampling and Reporting Requirements

Schedule D.....Emission Sources and Discharge Points

Schedule E.....Authorized Rates of Discharge


Schedule F.....Authorized Discharge Criteria

Schedule G.....Authorized Works and Procedures


Schedule H.....Record of Permit Issuance Dates

GREATER VANCOUVER REGIONAL DISTRICT

SCHEDULE A - Page 1
to PERMIT GVA0579



The Numbered Locations Of The Discharge Points Are Approximate. (N.T.S)



AUG 31 2006

R.H. Robb, DISTRICT DIRECTOR

**SCHEDULE B - Page 1
to PERMIT GVA0579**

A AMENDMENTS

The terms and conditions of this Permit may be amended, as authorized by applicable legislation.

B MAINTENANCE AND OPERATION OF WORKS

Works and procedures, which this Permit authorizes to control the discharge of air contaminants, shall be employed during all operating periods of the related facilities. The Permittee shall regularly inspect and maintain all such works in good repair.

C EMERGENCY PROCEDURES

An emergency or other condition may prevent the continuous utilization of the above authorized works and procedures, or may result in a discharge of air contaminants which is not authorized by this Permit. If such a situation occurs, the Permittee shall report the circumstances of this event to the Greater Vancouver Regional District, Policy and Planning Department at 604-436-6777 (24 hours), at the first available opportunity.

No discharge that has bypassed control works is authorized unless the District Director's approval has been obtained. In the event of an emergency, bypassing facilities may be used for such periods as are necessary to effect a shutdown of the related processes.

D AIR CONDITIONING, HEATING AND VENTILATION SYSTEMS

Air contaminants discharged from any natural gas-fired air conditioning, heating or ventilation systems for buildings located at the discharge site are not specified in this Permit. These works shall be maintained and operated in a manner prescribed by the manufacturer to ensure good combustion of the fuel with minimum discharge of air contaminants. Notwithstanding the above, the District Director may at her/his discretion stipulate limits for emission of contaminants from these sources in the Permit at a future date under provisions of the Bylaw.

AUG 31 2006



R. H. ROBB, DISTRICT DIRECTOR

**SCHEDULE B - Page 2
to PERMIT GVA0579**

E GENERAL SITE RESTRICTIONS

No air contaminant(s) from any single source, or combination of sources shall pass the boundary of the property, described in Section I of this Schedule B, such that the District Director determines that pollution has occurred.


Fugitive particulate matter shall be suppressed such that dustfall at the site boundary will compare favorably to a value of 1.75 mg/dm²/day when consideration is given to:

1. The relative contribution of dustfall sources on site to measured ambient values;
2. The sensitivity of the receiving environment;
3. Other pertinent information.

F INTERNAL COMBUSTION ENGINES

Air contaminants discharged from any natural gas, propane, gasoline, diesel, or other fossil fuel fired internal combustion engines operated at the discharge site may not be specifically authorized in this Permit. These works shall be maintained and operated in a manner prescribed by the manufacturer to ensure good combustion of the fuel and to minimize emissions such that the requirements of Section E of this Schedule B are not exceeded. The District Director may at her/his discretion stipulate further limits for emission of contaminants from these sources in the Permit at a future date under provisions of the Bylaw.

AUG 31 2006



R. H. ROBB, DISTRICT DIRECTOR

**SCHEDULE B - Page 3
to PERMIT GVA0579**

G ENGINEERING UNITS


The engineering units specified in this Permit are in accordance with the Metric System of measure. Approximate equivalent values for the British System can be calculated using the following conversion factors.

$\text{mg/m}^3 \times 0.000437 = \text{gr/cf}$
 $\text{m}^3/\text{min} \times 35.3 = \text{cf/min}$
 $\text{kg/m}^3 \times 0.0624 = \text{lbs/cf}$
 $\text{kg/L} \times 10.0 = \text{lbs/gal}$
 $\text{mg/m}^3 \times 24.0/\text{M} = \text{ppm (by volume)}$
 $\text{GJ/h} \times 0.9478 = \text{MMBTU/h}$

where

m³ = cubic metre
min = minute
mg = milligram
cf = cubic feet
s = second
lb = pound
kg = kilogram
gal = gallon
L = litre
M = molecular weight
gr = grain
ppm = parts per million
GJ = GigaJoule
MMBTU = Million British Thermal Unit
h = hour

AUG 3 1 2006



R. H. ROBB, DISTRICT DIRECTOR

**SCHEDULE B - Page 4
to PERMIT GVA0579**

H STANDARD CONDITIONS AND DEFINITIONS

Except where otherwise indicated, the following standard conditions and definitions apply to this Permit.


1. The Restrictions in the attached Schedules are maximum limits.
2. Gaseous volumes are corrected to dry conditions of 20° Celsius & 760mm Hg.
3. Particulate matter from combustion sources is corrected to 11% Oxygen.
4. Opacity is measured at the point of maximum density, nearest the discharge point.
5. Opacity measurements exclude the effect of condensed, uncombined water droplets.
6. Definitions in the Environmental Management Act and GVRD Air Quality Management Bylaw current at the time of issuance of this Permit apply to terminology used in this Permit. If the Permit is subsequently amended, definitions in the Environmental Management Act and GVRD Air Quality Management Bylaw current at the time of amendment shall apply to terminology used in this Permit.
7. Threshold Limit Values (TLV) refer to the Time Weighted Average (TWA) exposure limits for substances specified in the American Conference of Governmental Industrial Hygienists Threshold Limit Values handbook for the year 2006.
8. Any production, storage, transportation, handling, treatment, processing or ownership of a hazardous waste must comply with the requirements of the Environmental Management Act Hazardous Waste Regulation (BC Reg. 63/88).

I DESCRIPTION OF DISCHARGE SITE

The land from which the air contaminants are discharged is described as:

Lot 9, District Lot 275, Group 1, New Westminster District, Plan 6421

AUG 31 2006



R. H. ROBB, DISTRICT DIRECTOR

**SCHEDULE C - Page 1
to PERMIT GVA0579**


This Schedule describes emission monitoring, sampling and reporting requirements.

The Permittee shall conduct the following monitoring and sampling program on the discharges and submit the results to the District Director. The need for increased or decreased monitoring may be reviewed periodically by the District Director.

EMISSION NUMBER	DUE DATES	REQUIREMENTS
02, 05	March 31, 2007 and annually thereafter	Written report detailing the types and amounts of fuel burned in the preceding calendar year.
03	March 31, 2007 and annually thereafter	Written report detailing the types, amounts and end use of organic solvents and organic solvent-containing materials used in the preceding calendar year.
04	March 31, 2007 and annually thereafter	Written report indicating inspection frequency, bag condition and action taken or proposed to solve any problems detected for the baghouse described in Schedule G of this Permit.
General	March 31, 2007 and annually thereafter	Written report detailing the types and amounts of principal products produced and principal raw materials used in the preceding calendar year.
General	March 31, 2007 and annually thereafter	Written report detailing the total number of hours and days operated for each emission source listed in Schedule D during the preceding calendar year. Records are to be maintained in a written bound log or other format approved by the District Director, and made available for inspection, by GVRD staff for a minimum period of three years.

Unless otherwise approved by the District Director prior to any sampling or analysis, all emission measurements shall be performed by an independent agency in accordance with those procedures described in applicable source test codes and laboratory manuals which have been published by the British Columbia Ministry of Environment, as they may be amended from time to time. Any variance from these procedures must receive prior approval from the District Director. Monitoring results shall be reported in the metric units which are used in this Permit to specify the authorized discharge criteria. These submissions shall include the production rate at the time of the test, and all field data and calculations. In addition, the Permittee shall provide the Greater Vancouver Regional District, Policy and Planning Department, with a minimum of 3 working days advance notice before any emission measurements required by this Monitoring and Sampling Program are carried out.

Ambient air sampling and monitoring shall be undertaken by the Permittee, when required by the District Director.




R. H. ROBB, DISTRICT DIRECTOR

AUG 31 2006

**SCHEDULE D - Page 1
to PERMIT GVA0579**

EMISSION NUMBER	EMISSION SOURCE	DISCHARGE POINT
02	Drum Reclamation Furnace	Stack(s)
03	Paint Spray Booth	Stack(s)
04	Shot peening booth	Stack(s)
05	Natural gas fired bake oven	Fan Exhaust(s)

AUG 3 1 2006




R. H. ROBB, DISTRICT DIRECTOR

GREATER VANCOUVER REGIONAL DISTRICT

**SCHEDULE E - Page 1
to PERMIT GVA0579**

EMISSION NUMBER	MAXIMUM AUTHORIZED RATE OF DISCHARGE			NOTES & ADDITIONAL REQUIREMENTS
	FLOW m3/min	DURATION hours/day	FREQUENCY days/week	
02	170	24	7	Maximum of 1248 hours per annum.
03	170	24	7	Maximum of 2080 hours per annum.
04	85	24	7	A maximum of 520 hours per annum.
05	210	24	7	Maximum 2080 hours per year.

AUG 3 1 2006



R. H. ROBB, DISTRICT DIRECTOR

GREATER VANCOUVER REGIONAL DISTRICT

SCHEDULE F - PAGE 1
to PERMIT GVA0579

EMISSION NUMBER	PARAMETER	RESTRICTION	NOTES
02, 04	Particulate Matter	50 mg/m ³	
02	Opacity	5%	Based on six minute average.
04	Opacity	10%	Based on six minute average.
02, 03, 05	Odour	See notes	None past the plant boundary such that the District Director determines that pollution has occurred.
02, 03, 05	Chemical Contaminants	See notes	The maximum allowable emission concentration (EC) for each emitted chemical contaminant with a Threshold Limit Value (TLV) is such that the sum of the individual EC/TLV ratios for all such contaminants in any single emission is less than 10.
02	Combustion Products	See notes	Typical products of natural gas combustion.
05	Combustion Products	See notes	Typical products of natural gas combustion at a maximum firing rate of 0.525 GJ/hr.

AUG 31 2006




R. H. ROBB, DISTRICT DIRECTOR

**SCHEDULE G - Page 1
to PERMIT GVA0579**

The authorized emission control works and procedures to control the discharge of air contaminants from the emission sources described in Schedule D are indicated below. The District Director may require that further works be installed, if the existing works, in her/his opinion, do not provide an acceptable level of emission control. New works or alterations to existing works must be approved, in principle, by the District Director.

Where the District Director has specified that additional works are required, the maximum discharge criteria described in Schedule F of this Permit are applicable as specified by the Completion Date(s) listed below. Prior to the specified date(s) the existing control works and procedures must be maintained in good operating condition and operated in a manner to minimize emissions.

EMISSION NUMBER	COMPLETION DATE	DESCRIPTION OF CONTROL WORKS/PROCEDURES
02	Completed	EN02 - A natural gas fired drum reclamation furnace and natural gas fired afterburner. Furnace emissions are ducted to the afterburner, operating at a minimum temperature of 1832°F (1000°C), using good combustion and operating procedures. Hazardous waste, as defined by the Hazardous Waste Regulation, B.C Reg. 63/88, as amended, must not be treated at this site. Excess free residual materials must be removed from the drums prior to reclamation and this material together with the residue of combustion must be handled in accordance with the Hazardous Waste Regulation.
03	Completed	EN03 - A dry dual media fabric filtration system and related appurtenances and airless paint spraying equipment together with good operating practices.
04	Completed	EN04 - A baghouse and related appurtenances together with good operating practices.
05	Completed	EN05 - Two stacks. The firing of the bake oven with natural gas, using good combustion practices and operating procedures.



R. H. ROBB, DISTRICT DIRECTOR


AUG 31 2006

**SCHEDULE H - Page 1
to PERMIT GVA0579**

RECORD OF PERMIT ISSUANCE

DATE	ACTION	SECTIONS AFFECTED
AUG 31 2006	ISSUANCE	Face, Schedules A, B, C, D, E, F, G, & H

AUG 31 2006



R. H. ROBB, DISTRICT DIRECTOR