



metro vancouver Greater Vancouver Regional District • Greater Vancouver Water District

Greater Vancouver Sewerage and Drainage District • Greater Vancouver Housing Corporation

4330 Kingsway, Burnaby, BC, Canada V5H 4G8 604-432-6200 www.metrovancouver.org

Policy & Planning Department
Tel. 604-432-6200 Fax 604-436-6707

PERMIT GVA0589

Pursuant to
Greater Vancouver Regional District Air Quality Management Bylaw No. 1082, 2008
and BC Environmental Management Act

International Forest Products Limited


located at
20580 Maple Crescent, Maple Ridge, British Columbia V2X 1B1

is authorized to discharge air contaminants to the air from a
Sawmill and Planer Mill

located at the above address, subject to the requirements in this Permit.

Contravention of any of these requirements is a violation of the bylaw
and may result in enforcement action.

Date Issued: July 31, 1996
Date Amended: **NOV 02 2010**
(most recent)


Silvano Padovan, Assistant District Director
Permit GVA0589

SECTION 1 – AUTHORIZED EMISSION SOURCES

Authorization to discharge air contaminants from the authorized Emission Sources and Works listed below are subject to the specified terms and conditions.

Approximate locations of the emission sources are shown on the Site Plan in section 4.

EMISSION SOURCE 01: Wood burning power boiler discharging through a Stack.

MAXIMUM EMISSION FLOW RATE: **350** m³/min
MAXIMUM ANNUAL OPERATING HOURS: **8760** hrs/yr
MAXIMUM PRIMARY BURNER INPUT FIRING RATE: **31.65** GJ/hr

MAXIMUM EMISSION QUALITY:

1. 20 mg/m³ Particulate Matter
2. 10% Opacity.

WORKS AND PROCEDURES:

Multiclone, electrostatic precipitator and related appurtenances, together with the firing of the power boiler with wood, using good combustion practices and operating procedures.

EMISSION SOURCE 04: Sawmill dust collection system #1 discharging through a Baghouse Exhaust.

MAXIMUM EMISSION FLOW RATE: **1500** m³/min
MAXIMUM ANNUAL OPERATING HOURS: **6240** hrs/yr

MAXIMUM EMISSION QUALITY:

1. 20 mg/m³ Particulate Matter
2. 10% Opacity.

WORKS AND PROCEDURES:

Baghouse and related appurtenances together with good operating practices.


EMISSION SOURCE 05: Sawmill dust collection system #2 discharging through a Baghouse Exhaust.

MAXIMUM EMISSION FLOW RATE: **1500** m³/min
MAXIMUM ANNUAL OPERATING HOURS: **6240** hrs/yr

MAXIMUM EMISSION QUALITY:

1. 20 mg/m³ Particulate Matter
2. 10% Opacity.

Date Issued: July 31, 1996
Date Amended: **NOV 02 2010**
(most recent)


Silvano Padovan, Assistant District Director
Permit GVA0589

GREATER VANCOUVER REGIONAL DISTRICT AIR QUALITY MANAGEMENT PERMIT

WORKS AND PROCEDURES:

Baghouse and related appurtenances together with good operating practices.

EMISSION SOURCE 06: No. 1 Planer mill discharging through a Baghouse Exhaust.

MAXIMUM EMISSION FLOW RATE: **1300** m³/min
MAXIMUM ANNUAL OPERATING HOURS: **4680** hrs/yr

MAXIMUM EMISSION QUALITY:

1. 20 mg/m³ Particulate Matter
2. 10% Opacity.

WORKS AND PROCEDURES:

Baghouse and related appurtenances together with good operating practices.

EMISSION SOURCE 08: VARC (Value Added Recovery Center) discharging through a Baghouse Exhaust.

MAXIMUM EMISSION FLOW RATE: **1300** m³/min
MAXIMUM ANNUAL OPERATING HOURS: **4680** hrs/yr

MAXIMUM EMISSION QUALITY:

1. 20 mg/m³ Particulate Matter
2. 10% Opacity.

WORKS AND PROCEDURES:

Baghouse and related appurtenances together with good operating practices.

EMISSION SOURCE 09: No. 1 Planer high pressure baghouse discharging through a Baghouse Exhaust.

MAXIMUM EMISSION FLOW RATE: **300** m³/min
MAXIMUM ANNUAL OPERATING HOURS: **4680** hrs/yr

MAXIMUM EMISSION QUALITY:

1. 20 mg/m³ Particulate Matter
2. 10% Opacity.

WORKS AND PROCEDURES:

Baghouse and related appurtenances together with good operating practices.

Date Issued: July 31, 1996
Date Amended: **NOV 02 2010**
(most recent)



Silvano Padovan, Assistant District Director
Permit GVA0589

GREATER VANCOUVER REGIONAL DISTRICT AIR QUALITY MANAGEMENT PERMIT

EMISSION SOURCE 10: Barge loading of hog and wood chips discharging to the environment.

MAXIMUM EMISSION FLOW RATE: **The rate of discharge is that resulting from barge loading operations and wind erosion effects**

MAXIMUM ANNUAL OPERATING HOURS: **8760 hrs/yr**

MAXIMUM EMISSION QUALITY:

1. Particulate: None from any single source or combination of sources, past the plant boundary such that pollution occurs.

WORKS AND PROCEDURES:

Barge loading.

Proper chip screening procedures on the wood chip handling systems. Barge loader spouts of adequate length such that a maximum product drop height of 6 feet can be maintained during all loading operations, together with good operating practices. Product shall not be handled when wind speeds cause material to travel past the plant boundary.

EMISSION SOURCE 11: Welding Shop discharging through a Stack.

MAXIMUM EMISSION FLOW RATE: **100 m³/min**

MAXIMUM ANNUAL OPERATING HOURS: **1000 hrs/yr**

MAXIMUM EMISSION QUALITY:

1. 50 mg/m³ Welding Fumes
2. 10% Opacity.

WORKS AND PROCEDURES:

Good operating practices.

EMISSION SOURCE 12: Five dry kilns discharging through a Vent(s).

MAXIMUM EMISSION FLOW RATE: **200 m³/min**

MAXIMUM ANNUAL OPERATING HOURS: **8760 hrs/yr**


MAXIMUM EMISSION QUALITY:

1. 10% Opacity.

WORKS AND PROCEDURES:

Roof vents. Good operating practices.

Date Issued: July 31, 1996
Date Amended: **NOV 02 2010**
(most recent)


Silvano Padovan, Assistant District Director
Permit GVA0589

SECTION 2 – GENERAL REQUIREMENTS AND CONDITIONS

A. AMENDMENTS

The terms and conditions of this permit may be amended, as authorized by applicable legislation. New and modified sources must receive authorization prior to start-up.

B. POLLUTION


Notwithstanding any conditions in this permit, no person shall discharge or allow or cause the discharge of any air contaminant so as to cause pollution as defined in the Greater Vancouver Regional District Air Quality Management Bylaw No. 1082, 2008 and the Environmental Management Act.

C. STANDARD CONDITIONS AND DEFINITIONS

Unless otherwise specified, the following applies to this permit:

1. Gaseous volumes are corrected to standard conditions of 20° Celsius & 101.325 kPa with zero percent moisture.
2. Contaminant concentrations from the combustion of specific fuel types are corrected to the following Oxygen content, unless specified otherwise:
 - 3% O₂ for natural gas and fuel oil;
 - 8% O₂ for wood fuel.
 - 15% O₂ for turbines
3. Where compliance testing is required, each contaminant concentration limit in this permit will be assessed for compliance based on a valid test using test methods approved by the District Director.
4. Visual opacity measurements are made at the point of maximum density, nearest the discharge point and exclude the effect of condensed, uncombined water droplets. Visual opacity compliance determinations are based on a 6 minute average in accordance with the provincial "Source Testing Code for the Visual Measurement of The Opacity of Emissions from Stationary Sources".
5. If fuel oil is authorized as a standby fuel in section 1 of this permit, the standby fuel oil use is restricted to a maximum of 350 hrs/yr and to those periods during which the primary authorized fuel is not available. Fuel oil sulphur content shall not exceed 15 mg/kg and emissions during fuel oil firing shall not exceed 10% Opacity.
6. Definitions in the Environmental Management Act and Air Quality Management Bylaw apply to terminology used in this permit.
7. Threshold Limit Values (TLV) refer to the Time Weighted Average (TWA) exposure limits for substances specified in the American Conference of Governmental Industrial Hygienists Threshold Limit Values handbook, current on the latest date that this permit issuance or amendment came into effect.
8. Sulphur Oxides (SO_x) are expressed as Sulphur Dioxide.
9. Nitrogen Oxides (NO_x) are expressed as Nitrogen Dioxide.
10. The Canadian Council of Ministers of the Environment (CCME) "Environmental Guidelines for Controlling Emissions of Volatile Organic Compounds from Aboveground Storage Tanks (June 1995, CCME-EPC-87E)" shall be adhered to for all applicable tanks unless otherwise stated in this permit.

Date Issued: July 31, 1996
Date Amended: NOV 02 2010
(most recent)


Silvano Padovan, Assistant District Director
Permit GVA0589

GREATER VANCOUVER REGIONAL DISTRICT AIR QUALITY MANAGEMENT PERMIT

11. Authorized 'Maximum Annual Operating Hours' of 8760 hrs/yr for an emission source is equivalent to authorization for continuous operation of the emission source for an entire calendar year, including leap years.

D. HEATING, VENTILATION, AIR CONDITIONING AND INTERNAL COMBUSTION ENGINES

Air contaminants discharged from any natural gas-fired heating, ventilation or air conditioning systems for buildings and any internal combustion engines located at the discharge site shall be maintained and operated in a manner prescribed by the manufacturer to ensure good combustion of the fuel with minimum discharge of air contaminants.

E. AUTHORIZED WORKS AND PROCEDURES

Works and procedures, which this permit authorizes to control the discharge of air contaminants, shall be employed during all operating periods of the related facilities. The permit holder shall regularly inspect and maintain all such works in good repair.

The discharge criteria described in this permit are applicable on the issued or amended date of this permit unless specified otherwise. If a date different to the issued or amended date is specified, the existing control works and procedures must be maintained in good operating condition and operated in a manner to minimize emissions.

F. BYPASSES

The discharge of contaminants which have bypassed authorized control works during non-emergency conditions are prohibited unless approval has been obtained in writing from the District Director.

G. EMERGENCY PROCEDURES


In the event of an emergency that prevents compliance with a requirement(s) of this permit, that requirement(s) shall be suspended for such time as the emergency continues or until otherwise directed by the District Director, provided that:

1. Due diligence was exercised in relation to the process, operation or event that caused the emergency and that the emergency occurred notwithstanding this exercise of due diligence; and,
2. The District Director is notified at the first available opportunity of the emergency and of contingency actions invoked or planned to mitigate adverse impacts and restore compliance. Notification shall be made to Metro Vancouver's 24-hour number: 604-436-6777; and,
3. Due diligence is exercised in shutting down related processes and/or taking action to restore compliance in the shortest possible time frame, unless specified otherwise in this permit or by written notice from the District Director.

Notwithstanding 1, 2 and 3 above, the District Director may specify contingency actions to be implemented to protect human health and the environment while authorized works and/or standard operating procedures are being restored.

If an emergency situation results in a "spill" as defined in the Environmental Management Act Spill Reporting Regulation, the spill shall also be reported immediately to the Provincial Emergency Program by telephoning 1-800-663-3456.

Date Issued: July 31, 1996
Date Amended: NOV 02 2010
(most recent)


Silvano Padovan, Assistant District Director
Permit GVA0589

GREATER VANCOUVER REGIONAL DISTRICT AIR QUALITY MANAGEMENT PERMIT

SECTION 3 – REPORTING REQUIREMENTS

A. MONITORING REQUIREMENTS AND REPORTING

Unless otherwise approved by the District Director prior to any sampling or analysis, all measurements shall be performed by an independent agency in accordance with Metro Vancouver Air Emissions Sampling Program Manual of Methods and Standard Operating Procedures and the BC Ministry of Environment Field Sampling Manual, as they may be amended from time to time. Any variance from these procedures must receive prior approval from the District Director.

A minimum of 3 days advance notice must be given prior to taking measurements required by this Monitoring and Sampling Program. Notification must be given to the Metro Vancouver, Regulation & Enforcement Division (phone 604-436-6777, Fax 604-436-6707, email regulationenforcement@metrovancover.org).

Unless otherwise specified, sampling shall be performed under operating conditions representative of the previous 90 calendar days of operation. All field data and calculations must be submitted with monitoring results and they shall be reported in the metric units which are used in this permit. These submissions shall include process data relevant to the operation of the source of the emissions and the performance of the emission control works.

The permit holder shall conduct the following monitoring and sampling and submit written and/or electronic reports of the results to the District Director by the dates specified below.

SOURCE	DUE DATE	FREQUENCY	REQUIREMENT	PARAMETER(S)	TEST METHOD	REPORT TYPE
01	March 31, 2011	Yearly	Written report detailing the measured discharge rate of and concentration of particulate matter in the emissions. The report shall include the transformer-rectifier set electrical data for each chamber during the testing period. Written report for the preceding calendar year indicating the frequency, duration and cause of electrostatic precipitator outages. This report shall include any identified problems related to such outage periods and the means by which they have been corrected.	Particulate Matter	EPA Test Method 5	Stack

Date Issued: July 31, 1996
 Date Amended: NOV 02 2010
 (most recent)



Silvano Padovan, Assistant District Director
 Permit GVA0589

GREATER VANCOUVER REGIONAL DISTRICT AIR QUALITY MANAGEMENT PERMIT

B. INFORMATION REPORTING REQUIREMENTS

The Permit holder shall submit written and/or electronic reports containing the required information to the District Director by the dates specified below.

EMISSION SOURCE	DUE DATE	FREQUENCY	REQUIREMENT	REPORT TYPE
Facility	March 31, 2011	Yearly	Written report providing details of the types and amounts of principal products produced and principal raw materials used in the preceding calendar year.	Materials and Products
Facility	March 31, 2011	Yearly	Written report providing details of the types and amounts of fuel burned in the preceding calendar year.	Fuel Use
04, 05, 06	March 31, 2011	Yearly	Written report indicating semi-annually inspection frequency, bag condition and action taken or proposed to solve any problems detected for the baghouses described in Schedule G of this Permit.	Baghouse

C. AMENDED OR ADDITIONAL REQUIREMENTS

Based on the results of the monitoring program, including the stack sampling results or any other information, the District Director may:

1. Amend the monitoring and reporting requirement of any of the information required by this Permit including plans, programs and studies.
2. Require additional investigations, tests, surveys or studies.

Date Issued: July 31, 1996
 Date Amended: NOV 02 2010
 (most recent)




Silvano Padovan, Assistant District Director
 Permit GVA0589


SECTION 4 – SITE PLAN

LEGAL DESCRIPTION OF DISCHARGE SITE: "Municipality of Maple Ridge, PID Parcel A, Lot 278 and Lot 279, Group 1, New Westminster District, Explanatory Plan 60496".

The following site plan is not to scale and the locations of the discharge points are approximate.



Date Issued: July 31, 1996
Date Amended: NOV 02 2010
(most recent)


Silvano Padovan, Assistant District Director
Permit GVA0589

