

PERMIT GVA1038

Pursuant to
Greater Vancouver Regional District Air Quality Management Bylaw No. 1082, 2008
and BC Environmental Management Act

Mitchell Press Ltd.

located at
8328 Riverbend Court, Burnaby, BC V3N 5C9


is authorized to discharge air contaminants to the air from
A COMMERCIAL PRINTING PLANT

subject to the requirements in this Permit for the emission sources and works existing or planned on
November 06, 2013.

Contravention of any of these requirements is a violation of the bylaw
and may result in enforcement action.

All previous versions of this Air Quality Management Permit are hereby rescinded and rendered null and void.

Issued: March 12, 2008
Amended: November 06, 2013


Darrell Wakelin
Assistant District Director

GREATER VANCOUVER REGIONAL DISTRICT AIR QUALITY MANAGEMENT PERMIT

SECTION 1 – AUTHORIZED EMISSION SOURCES

Authorization to discharge air contaminants from the authorized Emission Sources and Works listed below is subject to the specified terms and conditions.

Approximate locations of the emission sources are shown on the Site Plan in section 4.

EMISSION SOURCE 01: Komori 38S Heatset Web Offset Press discharging through a Stack(s).

MAXIMUM EMISSION FLOW RATE: **197** m³/min
MAXIMUM ANNUAL OPERATING HOURS: **8760** hrs/yr
MAXIMUM PRIMARY BURNER INPUT FIRING RATE: **2.42** GJ/hr
MAXIMUM AFTERBURNER INPUT FIRING RATE: **1.58** GJ/hr

MAXIMUM EMISSION QUALITY:

1. 30 mg/m³ Total Hydrocarbons
2. 5% Opacity.
3. Odorous Air Contaminant(s): None past the plant boundary such that pollution occurs.

WORKS AND PROCEDURES:

Regenerative thermal oxidizer fired with natural gas with a minimum combustion temperature of 760°C (1400°F), using good combustion practices and operating procedures, and an audible or visible temperature alarm that activates if the temperature drops below 760°C for more than 10 minutes.

The exit temperature of the thermal oxidizer shall be taken at locations which have received prior approval by the District Director and shall be continuously monitored and recorded, via a data logger. The thermal oxidizer temperature records must be kept for a minimum of 2 years. The temperature measurement system shall be placed in a convenient and visible location and be calibrated annually using procedures approved by the District Director.


The Permittee shall maintain a log of inspections and maintenance conducted on the works described. This log shall be kept available for inspection for a minimum period of 2 years.

MINIMUM INCINERATOR EXIT TEMPERATURE: **760 °C**

EMISSION SOURCE 02: Paper Trim Collection System discharging through a Baghouse Exhaust(s).

MAXIMUM EMISSION FLOW RATE: **212** m³/min
MAXIMUM ANNUAL OPERATING HOURS: **8760** hrs/yr

Issued: March 12, 2008
Amended: November 06, 2013


Darrell Wakelin
Assistant District Director

Permit GVA1038

GREATER VANCOUVER REGIONAL DISTRICT AIR QUALITY MANAGEMENT PERMIT

MAXIMUM EMISSION QUALITY:

1. 20 mg/m³ Particulate Matter
2. 5% Opacity.

WORKS AND PROCEDURES:

One cyclone separator followed by a baghouse filter and related appurtenances, together with good operating practices.

EMISSION SOURCE 03: Heidelberg M600 Heatset Press with Goss Regenerative Thermal Oxidizer discharging through a Stack(s).

MAXIMUM EMISSION FLOW RATE: **90** m³/min

MAXIMUM ANNUAL OPERATING HOURS: **8760** hrs/yr

MAXIMUM PRIMARY BURNER INPUT FIRING RATE: **1.58** GJ/hr

MAXIMUM AFTERBURNER INPUT FIRING RATE: **1.06** GJ/hr

MAXIMUM EMISSION QUALITY:

1. 30 mg/m³ Total Hydrocarbons
2. 5% Opacity.
3. Odorous Air Contaminant(s): None past the plant boundary such that pollution occurs.

WORKS AND PROCEDURES:


Heidelberg heatset web printing press discharging through a Goss ECC-105-102R-NG regenerative thermal oxidizer fired with natural gas with a minimum combustion temperature of 760°C (1400°F), using good combustion practices and operating procedures, and an audible or visible temperature alarm that activates if the temperature drops below 760°C for more than 10 minutes.

The exit temperature of the thermal oxidizer shall be taken at locations which have received prior approval by the District Director and shall be continuously monitored and recorded, via a data logger. The thermal oxidizer temperature records must be kept for a minimum of 2 years. The temperature measurement system shall be placed in a convenient and visible location and be calibrated annually using procedures approved by the District Director.

The Permittee shall maintain a log of inspections and maintenance conducted on the works described. The log shall be kept available for inspection for a minimum of 2 years.

MINIMUM INCINERATOR EXIT TEMPERATURE: **760 °C**

Issued: March 12, 2008
Amended: November 06, 2013


Darrell Wakelin
Assistant District Director

Permit GVA1038

SECTION 2 – GENERAL REQUIREMENTS AND CONDITIONS

A. AMENDMENTS

The terms and conditions of this permit may be amended, as authorized by applicable legislation. New and modified sources must receive authorization prior to start-up.

B. POLLUTION


Notwithstanding any conditions in this permit, no person shall discharge or allow or cause the discharge of any air contaminant so as to cause pollution as defined in the Greater Vancouver Regional District Air Quality Management Bylaw No. 1082, 2008 and the Environmental Management Act.

C. STANDARD CONDITIONS AND DEFINITIONS

Unless otherwise specified, the following applies to this permit:

1. Gaseous volumes are corrected to standard conditions of 20° Celsius & 101.325 kPa with zero percent moisture.
2. Contaminant concentrations from the combustion of specific fuel types are corrected to the following Oxygen content, unless specified otherwise:
 - 3% O₂ for natural gas and fuel oil;
 - 8% O₂ for wood fuel.
 - 15% O₂ for turbines
3. Where compliance testing is required, each contaminant concentration limit in this permit will be assessed for compliance based on a valid test using test methods approved by the District Director.
4. Visual opacity measurements are made at the point of maximum density, nearest the discharge point and exclude the effect of condensed, uncombined water droplets. Compliance determinations are based on a 6 minute average in accordance with the provincial "Source Testing Code for the Visual Measurement of The Opacity of Emissions from Stationary Sources". Continuous Emission Monitor System (CEMS) opacity compliance determinations are based on a one hour average (taken from the top of each hour).
5. If authorized in section 1 of this permit, standby fuel use is restricted to a maximum of 350 hrs/yr and to those periods during which the primary authorized fuel is not available. Fuel oil sulphur content shall not exceed 15 mg/kg and emissions during fuel oil firing shall not exceed 10% Opacity.
6. Definitions in the Environmental Management Act and Air Quality Management Bylaw apply to terminology used in this permit.
7. Threshold Limit Values (TLV) refer to the Time Weighted Average (TWA) exposure limits for substances specified in the American Conference of Governmental Industrial Hygienists Threshold Limit Values handbook, current on the latest date that this permit issuance or amendment came into effect.
8. Sulphur Oxides (SO_x) are expressed as Sulphur Dioxide.
9. Nitrogen Oxides (NO_x) are expressed as Nitrogen Dioxide.

Issued: March 12, 2008
Amended: November 06, 2013


Darrell Wakelin
Assistant District Director

Permit GVA1038

GREATER VANCOUVER REGIONAL DISTRICT AIR QUALITY MANAGEMENT PERMIT

10. The Canadian Council of Ministers of the Environment (CCME) "Environmental Guidelines for Controlling Emissions of Volatile Organic Compounds from Aboveground Storage Tanks (June 1995, CCME-EPC-87E)" shall be adhered to for all applicable tanks unless otherwise stated in this permit.
11. Authorized 'Maximum Annual Operating Hours' of 8760 hrs/yr for an emission source is equivalent to authorization for continuous operation of the emission source for an entire calendar year, including leap years.

D. HEATING, VENTILATION, AIR CONDITIONING AND INTERNAL COMBUSTION ENGINES

Air contaminants discharged from any natural gas-fired heating, ventilation or air conditioning systems for buildings and any internal combustion engines located at the discharge site shall be maintained and operated in a manner prescribed by the manufacturer to ensure good combustion of the fuel with minimum discharge of air contaminants.

E. AUTHORIZED WORKS AND PROCEDURES

Works and procedures, which this permit authorizes to control the discharge of air contaminants, shall be employed during all operating periods of the related facilities. The permit holder shall regularly inspect and maintain all such works in good repair.

The discharge criteria described in this permit are applicable on the issued or amended date of this permit unless specified otherwise. If a date different to the issued or amended date is specified, the existing control works and procedures must be maintained in good operating condition and operated in a manner to minimize emissions.

F. BYPASSES


The discharge of contaminants which have bypassed authorized control works during non-emergency conditions is prohibited unless approval has been obtained in writing from the District Director.

G. EMERGENCY PROCEDURES

In the event of an emergency that prevents compliance with a requirement(s) of this permit, that requirement(s) shall be suspended for such time as the emergency continues or until otherwise directed by the District Director, provided that:

1. Due diligence was exercised in relation to the process, operation or event that caused the emergency and that the emergency occurred notwithstanding this exercise of due diligence; and,
2. The District Director is notified at the first available opportunity of the emergency and of contingency actions invoked or planned to mitigate adverse impacts and restore compliance. Notification shall be made to Metro Vancouver's 24-hour number: 604-436-6777; and,
3. Due diligence is exercised in shutting down related processes and/or taking action to restore compliance in the shortest possible time frame, unless specified otherwise in this permit or by written notice from the District Director.

Issued: March 12, 2008
Amended: November 06, 2013


Darrell Wakelin
Assistant District Director


Permit GVA1038

GREATER VANCOUVER REGIONAL DISTRICT AIR QUALITY MANAGEMENT PERMIT

Notwithstanding 1, 2 and 3 above, the District Director may specify contingency actions to be implemented to protect human health and the environment while authorized works and/or standard operating procedures are being restored.

If an emergency situation results in a "spill" as defined in the Environmental Management Act Spill Reporting Regulation, the spill shall also be reported immediately to the Provincial Emergency Program by telephoning 1-800-663-3456.

Issued: March 12, 2008
Amended: November 06, 2013


Darrell Wakelin
Assistant District Director

Permit GVA1038

GREATER VANCOUVER REGIONAL DISTRICT AIR QUALITY MANAGEMENT PERMIT

SECTION 3 – REPORTING REQUIREMENTS

A. MONITORING REQUIREMENTS AND REPORTING

Unless otherwise approved by the District Director prior to any sampling or analysis, all measurements shall be performed by an independent agency in accordance with Metro Vancouver Air Emissions Sampling Program Manual of Methods and Standard Operating Procedures and the BC Ministry of Environment Field Sampling Manual, as they may be amended from time to time. Any variance from these procedures must receive prior approval from the District Director.


A minimum of 3 working days advance notice must be given prior to taking measurements required by this Monitoring and Sampling Program. Notification must be given to the Metro Vancouver Environmental Regulation & Enforcement Division (phone 604-436-6777, Fax 604-436-6707, email regulationenforcement@metrovancover.org).

Unless otherwise specified, sampling shall be performed under operating conditions representative of the previous 90 calendar days of operation. All field data and calculations must be submitted with monitoring results and they shall be reported in the metric units which are used in this permit. These submissions shall include process data relevant to the operation of the source of the emissions and the performance of the emission control works.

The permit holder shall conduct the following monitoring and sampling and submit electronic reports of the results to the District Director by the dates specified below using a password enabled web based application provided by Metro Vancouver.

SOURCE	DUE DATE	FREQUENCY	REQUIREMENT	PARAMETER(S)	TEST METHOD	REPORT TYPE
01, 03	November 30, 2015	Every 2 Years	Written report detailing the measured discharge rate and concentration of total hydrocarbons, expressed as methane, in the emissions.	Total Hydrocarbons	EPA Test Method 25A	Stack

Issued: March 12, 2008
Amended: November 06, 2013


Darrell Wakelin
Assistant District Director

Permit GVA1038


GREATER VANCOUVER REGIONAL DISTRICT AIR QUALITY MANAGEMENT PERMIT

B. INFORMATION REPORTING REQUIREMENTS

The permit holder shall submit electronic reports containing the required information to the District Director by the dates specified below using a password enabled web based application provided by Metro Vancouver.

EMISSION SOURCE	DUE DATE	FREQUENCY	REQUIREMENT	REPORT TYPE
02	March 31, 2014	Yearly	A baghouse inspection report, on forms approved by the District Director, including details of operating parameters, physical condition, inspection frequency, bag condition, visible emissions and actions taken or proposed to solve any problems detected for the baghouse described in Schedule G of this Permit.	Baghouse
Facility	March 31, 2014	Yearly	Written report providing details of the types and amounts of principle products produced and principal raw materials used in the preceding calendar year.	Materials and Products
Facility	March 31, 2014	Yearly	Written report providing details of the types, amounts and end use of organic solvents and organic solvent-containing materials used in the preceding calendar year.	Solvent Use
Facility	March 31, 2014	Yearly	Written report providing details of the types and amounts of fuel burned in the preceding calendar year.	Fuel Use
01, 02, 03	March 31, 2014	Yearly	Written report providing details of the total number of hours and days operated in the preceding calendar year. Detailed records are to be maintained in a written bound log or other format approved by the District Director and made available for inspection by Metro Vancouver staff for a minimum period of three years.	Operating Period

Issued: March 12, 2008
Amended: November 06, 2013


Darrell Wakelin
Assistant District Director

Permit GVA1038


GREATER VANCOUVER REGIONAL DISTRICT AIR QUALITY MANAGEMENT PERMIT

C. AMENDED OR ADDITIONAL REQUIREMENTS

Based on the results of the monitoring program, including the stack sampling results or any other information, the District Director may:

1. Amend the monitoring and reporting requirement of any of the information required by this Permit including plans, programs and studies.
2. Require additional investigations, tests, surveys or studies.

Issued: March 12, 2008
Amended: November 06, 2013


Darrell Wakelin
Assistant District Director


Permit GVA1038

GREATER VANCOUVER REGIONAL DISTRICT AIR QUALITY MANAGEMENT PERMIT

SECTION 4 – SITE PLAN

LEGAL DESCRIPTION OF DISCHARGE SITE: Lot 5 DL 155 Group 1 New Westminster District, Plan BCP 5813

The following site plan is not to scale and the locations of the discharge points are approximate.



Issued: March 12, 2008
Amended: November 06, 2013

Darrell Wakelin
Darrell Wakelin
Assistant District Director

Permit GVA1038