



Policy & Planning Department, Regulation & Enforcement Division, Telephone: 604-432-6200 Fax: 604-436-6707

Permit GVA1042

Pursuant to
Greater Vancouver Regional District Air Quality Management Bylaw No. 1082, 2008
and BC Environmental Management Act

Imperial Paving Ltd.

located at
13793 256 Street, Maple Ridge


is authorized to discharge air contaminants to the air from a
Portable Asphalt Plant

located at the above address, subject to the requirements in this Permit.

Contravention of any of these requirements is a violation of the bylaw
and may result in enforcement action.

Date Issued:

APR 01 2009


R. H. Robb, District Director
Permit GVA1042

GREATER VANCOUVER REGIONAL DISTRICT AIR QUALITY MANAGEMENT PERMIT

SECTION 1 – AUTHORIZED EMISSION SOURCES

Authorization to discharge air contaminants from the authorized Emission Sources and Works listed below are subject to the specified terms and conditions.

Approximate locations of the emission sources are shown on the Site Plan in section 4.

EMISSION SOURCE 01: Gencor Portable 300 Ultradrums asphalt plant and three finished product silos.

MAXIMUM EMISSION FLOW RATE: **563.5** m³/min
MAXIMUM ANNUAL OPERATING HOURS: **1000** hrs/yr
MAXIMUM FIRING RATE: **105.5** GJ/hr

MAXIMUM EMISSION QUALITY:

1. **60** mg/m³ Particulate Matter at 16% O₂.
2. **200** mg/m³ Carbon Monoxide at 16% O₂.
3. **60** mg/m³ Organics at 16% O₂.
4. **10%** Opacity.
5. No odours beyond the plant boundary such that the District Director determines that pollution has occurred.

WORKS AND PROCEDURES:

The firing of the low NOx asphalt drum burner with propane using good combustion practices, in conjunction with a baghouse, blue smoke and odour capture and destruction system, and good operating procedures.

EMISSION SOURCE 02: Asphalt oil storage tanks.

MAXIMUM EMISSION FLOW RATE: The authorized maximum rate of discharge is that resulting from vapor venting during tank filling and breathing
MAXIMUM ANNUAL OPERATING HOURS: **8760** hrs/yr


MAXIMUM EMISSION QUALITY:

1. **5 %** Opacity.
2. No odours beyond the plant boundary such that the District Director determines that pollution has occurred.

WORKS AND PROCEDURES: The asphalt tanks shall be operated at a maximum temperature of 150 °C with vent condensers and good operating practices.

Date Issued:

APR 01 2009


R. H. Robb, District Director
Permit GVA1042

EMISSION SOURCE 03: Asphalt oil pre-heater.

MAXIMUM EMISSION FLOW RATE: 6 m³/min
MAXIMUM ANNUAL OPERATING HOURS: 1000 hrs/yr
MAXIMUM FIRING RATE: 1.1 GJ/hr

MAXIMUM EMISSION QUALITY:

1. 5% Opacity.
2. No odours beyond the plant boundary such that the District Director determines that pollution has occurred.

WORKS AND PROCEDURES:

Firing of the asphalt heater with propane using good combustion practices and operating procedures.

EMISSION SOURCE 04: Aggregate feed bins and aggregate storage piles.

MAXIMUM EMISSION FLOW RATE: The maximum authorized rate of discharge is that resulting from the transfer, and reclaiming operations as well as stock pile and area wind erosion effects.
MAXIMUM ANNUAL OPERATING HOURS: 8760 hrs/yr

MAXIMUM EMISSION QUALITY:


1. 10% Opacity.
2. No Particulate Matter beyond the plant boundary such that the District Director determines that pollution has occurred.

WORKS AND PROCEDURES:

The use of a water spray system in conjunction with prevailing weather conditions to provide adequate aggregate moisture content to control fugitive dust emissions and partial enclosures together with good operating practices.

Date Issued:

APR 01 2009


R. H. Robb, District Director
Permit GVA1042

SECTION 2 – GENERAL REQUIREMENTS AND CONDITIONS

A. AMENDMENTS

The terms and conditions of this Permit may be amended, as authorized by applicable legislation. New and modified sources must receive authorization prior to start-up.

B. POLLUTION

Notwithstanding any conditions in this Permit, no person shall discharge or allow or cause the discharge of any air contaminant so as to cause pollution as defined in the Bylaw and Act.


C. STANDARD CONDITIONS AND DEFINITIONS

Unless otherwise specified, the following applies to this Permit:

1. Gaseous volumes are corrected to standard conditions of 20° Celsius & 101.325 kPa with zero percent moisture.
2. Contaminant concentrations from the combustion of specific fuel types are corrected to the following Oxygen content, unless specified otherwise:
 - 3% O₂ for natural gas and fuel oil;
 - 8% O₂ for wood fuel.
 - 15% O₂ for turbines
3. Each contaminant concentration limit in this Permit will be assessed for compliance based on a valid test using test methods approved by the District Director
4. Visual opacity measurements are made at the point of maximum density, nearest the discharge point and exclude the effect of condensed, uncombined water droplets. Visual opacity compliance determinations are based on a 6 minute average in accordance with the provincial "Source Testing Code for the Visual Measurement of The Opacity of Emissions from Stationary Sources".
5. If authorized in section 1 of this Permit, standby fuel use is restricted to a maximum of 350 hrs/yr and to those periods during which the primary authorized fuel is not available. Fuel oil sulphur content shall not exceed 15 mg/kg and emissions during fuel oil firing shall not exceed 10% Opacity.
6. Definitions in the Environmental Management Act and Air Quality Management Bylaw apply to terminology used in this Permit.
7. Threshold Limit Values (TLV) refer to the Time Weighted Average (TWA) exposure limits for substances specified in the American Conference of Governmental Industrial Hygienists Threshold Limit Values handbook, current on the latest date that this Permit issuance or amendment came into effect.
8. Sulphur Oxides (SO_x) are expressed as Sulphur Dioxide.
9. Nitrogen Oxides (NO_x) are expressed as Nitrogen Dioxide.
10. The Canadian Council of Ministers of the Environment (CCME) "Environmental Guidelines for Controlling Emissions of Volatile Organic Compounds from Aboveground Storage Tanks (June 1995, CCME-EPC-87E)" shall be adhered to for all applicable tanks unless otherwise stated in this permit.
11. Authorized 'Maximum Annual Operating Hours' of 8760 hrs/yr for an emission source is equivalent to authorization for continuous operation of the emission source for an entire calendar year, including leap years.

Date Issued:

APR 01 2009


R. H. Robb, District Director
Permit GVA1042

D. HEATING, VENTILATION, AIR CONDITIONING AND INTERNAL COMBUSTION ENGINES

Air contaminants discharged from any natural gas-fired heating, ventilation or air conditioning systems for buildings and any internal combustion engines located at the discharge site shall be maintained and operated in a manner prescribed by the manufacturer to ensure good combustion of the fuel with minimum discharge of air contaminants.

E. AUTHORIZED WORKS AND PROCEDURES

Works and procedures, which this Permit authorizes to control the discharge of air contaminants, shall be employed during all operating periods of the related facilities. The Permit holder shall regularly inspect and maintain all such works in good repair.

The discharge criteria described in this Permit are applicable on the issued or amended date of this Permit unless specified otherwise. If a date different to the issued or amended date is specified, the existing control works and procedures must be maintained in good operating condition and operated in a manner to minimize emissions.

F. BYPASSES

The discharge of contaminants which have bypassed authorized control works during non-emergency conditions are prohibited unless approval has been obtained in writing from the District Director.

G. EMERGENCY PROCEDURES


In the event of an emergency that prevents compliance with a requirement(s) of this permit, that requirement(s) shall be suspended for such time as the emergency continues or until otherwise directed by the District Director, provided that:

1. Due diligence was exercised in relation to the process, operation or event that caused the emergency and that the emergency occurred notwithstanding this exercise of due diligence; and,
2. The District Director is notified at the first available opportunity of the emergency and of contingency actions invoked or planned to mitigate adverse impacts and restore compliance. Notification shall be made to the Metro Vancouver's 24-hour number: 604-436-6777; and,
3. Due diligence is exercised in shutting down related processes and/or taking action to restore compliance in the shortest possible time frame; unless specified otherwise in this permit or by written notice from the District Director.

Notwithstanding 1, 2 and 3 above, the District Director may specify contingency actions to be implemented to protect human health and the environment while authorized works and/or standard operating procedures are being restored.

Date Issued:

APR 01 2009


R. H. Robb, District Director
Permit GVA1042

GREATER VANCOUVER REGIONAL DISTRICT AIR QUALITY MANAGEMENT PERMIT

SECTION 3 – REPORTING REQUIREMENTS

A. MONITORING REQUIREMENTS AND REPORTING

Unless otherwise approved by the District Director prior to any sampling or analysis, all measurements shall be performed by an independent agency in accordance with Metro Vancouver Air Emissions Sampling Program Manual of Methods and Standard Operating Procedures and the BC Ministry of Environment Field Sampling Manual, as they may be amended from time to time. Any variance from these procedures must receive prior approval from the District Director.

A minimum of 3 days advance notice must be given prior to taking measurements required by this Monitoring and Sampling Program. Notification must be given to the Metro Vancouver, Regulation & Enforcement Division (phone 604-436-6777, Fax 604-436-6707, email regulationenforcement@metrovancover.org).


Unless otherwise specified, sampling shall be performed under operating conditions representative of the previous 90 calendar days of operation. All field data and calculations must be submitted with monitoring results and they shall be reported in the metric units which are used in this Permit. These submissions shall include process data relevant to the operation of the source of the emissions and the performance of the emission control works.

The Permit holder shall conduct the following monitoring and sampling and submit written and/or electronic reports of the results to the District Director by the dates specified below.

SOURCE	DUE DATE	FREQUENCY	REQUIREMENT	PARAMETER(S)	TEST METHOD
01	Sept 30, 2009	Annually	Submit a written report detailing the measured discharge rate and concentration of specified parameters in the emissions. The production rate (tonnes per hour) at the time of testing shall be recorded. The production rate at which testing occurs shall be considered 80% of the maximum allowable production rate on an ongoing basis. The final mix temperature (°C) shall also be recorded.	Particulate Matter Carbon Monoxide Organics	EPA method 5 EPA method 10 EPA Method 25 A

Date Issued:

APR 01 2009


R. H. Robb, District Director
Permit GVA1042

GREATER VANCOUVER REGIONAL DISTRICT AIR QUALITY MANAGEMENT PERMIT

B. INFORMATION REPORTING REQUIREMENTS

The Permit holder shall submit written and/or electronic reports containing the required information to the District Director by the dates specified below.

EMISSION SOURCE	DUE DATE	FREQUENCY	REQUIREMENT	FORM(S)
01	March 31, 2010	Annually	Written report indicating frequency and result of the inspection, maintenance and monitoring frequency of the baghouse. This report shall also include any actions taken or proposed to solve any problems detected.	Baghouse
01	March 31, 2010	Annually	Written report detailing hours of operation.	Operating Period
01	Sept 30, 2009	Once	Written report detailing method for hours of operation tracking.	
02	March 31, 2010	Annually	Written report detailing organic material throughput and storage capacity	
Facility	March 31, 2010	Annually	Written report providing details of the types and amounts of fuel burned in the preceding calendar year.	Fuel Use
Facility	March 31, 2010	Annually	Written report providing details of the types and amounts of principle products produced and principal raw materials used in the preceding calendar year.	Materials & Products

C. AMENDED OR ADDITIONAL REQUIREMENTS

Based on the results of the monitoring program, including the stack sampling results or any other information, the District Director may:

1. Amend the monitoring and reporting requirement of any of the information required by this Permit including plans, programs and studies.
2. Require additional investigations, tests, surveys or studies.

Date Issued:

APR 01 2009


 R. H. Robb, District Director
 Permit GVA1042


GREATER VANCOUVER REGIONAL DISTRICT AIR QUALITY MANAGEMENT PERMIT

SECTION 4 – SITE PLAN

LEGAL DESCRIPTION OF DISCHARGE SITE:

The land from which the air contaminants discharged is described as: Lot 1, District Lot 5326, Group 1, New Westminster District Plan LMP13975.

The following site plan is not to scale and the locations of the discharge points are approximate.



Date Issued:

APR 01 2009

[Signature]
R. H. Robb, District Director
Permit GVA1042