



PERMIT GVA1199

Pursuant to:

Greater Vancouver Regional District Air Quality Management Bylaw No. 1082, 2008
and the BC Environmental Management Act, S.B.C 2003, c.53

Issued to:

Atlas Roofing Corporation of Canada
(the "Permittee")

To Authorize:

the discharge of air contaminants to the air from
a polyiso foam insulation board manufacturing facility


Located at:

971 Derwent Way, Delta, BC V3M 5R4

Effective Period:

The terms and conditions set out in the Permit apply to the existing or planned works as of
May 14, 2021 and this Permit will expire on May 15, 2031.

Issued: May 14, 2021


Kathy Preston, Ph.D., P.Eng.
Assistant District Director

METRO VANCOUVER REGIONAL DISTRICT AIR QUALITY MANAGEMENT PERMIT

SECTION 1 – AUTHORIZED EMISSION SOURCES

Authorization to discharge air contaminants from the authorized Emission Sources and Works listed below is subject to the specified terms and conditions.

Approximate locations of the emission sources are shown on the Site Plan in section 4.

EMISSION SOURCE 1: Foam Pour Table Exhaust discharging through a Stack(s).

MAXIMUM EMISSION FLOW RATE: **220** m³/min
MAXIMUM ANNUAL OPERATING HOURS: **1650** h/y

MAXIMUM EMISSION QUALITY:

1. 0.0062 mg/m³ Methylene diphenyl diisocyanate
2. 385 mg/m³ Pentane
3. 5% Opacity.

WORKS AND PROCEDURES:

Good operating practices.

Stack Information:

Height: 12.63 m
Diameter: 0.57 m
Exit Temperature (°C): 28

EMISSION SOURCE 2: Laminator Exhaust discharging through a Stack(s).

MAXIMUM EMISSION FLOW RATE: **300** m³/min
MAXIMUM ANNUAL OPERATING HOURS: **1650** h/y

MAXIMUM EMISSION QUALITY:

1. 0.0062 mg/m³ Methylene diphenyl diisocyanate
2. 815 mg/m³ Pentane
3. 5% Opacity.


WORKS AND PROCEDURES:

Good operating practices.

Stack Information:

Height: 14.11 m
Diameter: 0.76 m
Exit Temperature (°C): 44

Issued: May 14, 2021


Kathy Preston, Ph.D., P.Eng.
Assistant District Director

Permit GVA1199

METRO VANCOUVER REGIONAL DISTRICT AIR QUALITY MANAGEMENT PERMIT

EMISSION SOURCE 3: Cutting Line Baghouse discharging through a Stack(s).

MAXIMUM EMISSION FLOW RATE: **825** m³/min
MAXIMUM ANNUAL OPERATING HOURS: **1650** h/y

MAXIMUM EMISSION QUALITY:

1. 0.0062 mg/m³ Methylene diphenyl diisocyanate
2. 82 mg/m³ Pentane
3. 8 mg/m³ Particulate Matter
4. 5% Opacity.

WORKS AND PROCEDURES:

Donaldson Torit Baghouse together with good operating practices.

Stack Information:

Height: 13.19 m
Diameter: 1.07 m
Exit Temperature (°C): 26

EMISSION SOURCE 4: Mixing Room Emergency Exhaust discharging through a Stack(s).

MAXIMUM EMISSION FLOW RATE: **100** m³/min
MAXIMUM ANNUAL OPERATING HOURS: **0** h/y (See Works & Procedures)

WORKS AND PROCEDURES:

Two (2) MSA (Mine Safety Appliance) infrared gas sensors as well as two (2) liquid sensors all equipped with audible alarms together with good operating procedures as referenced in Section 2 D and 2 E.


EMISSION SOURCE 5: Boiler discharging through a Stack(s).

MAXIMUM EMISSION FLOW RATE: **200** m³/min
MAXIMUM ANNUAL OPERATING HOURS: **500** h/y
MAXIMUM PRIMARY BURNER INPUT FIRING RATE: **15.09** GJ/h

MAXIMUM EMISSION QUALITY:

1. 5% Opacity.

Issued: May 14, 2021


Kathy Preston, Ph.D., P.Eng.
Assistant District Director

Permit GVA1199

METRO VANCOUVER REGIONAL DISTRICT AIR QUALITY MANAGEMENT PERMIT

WORKS AND PROCEDURES:

The firing of the boiler with natural gas together with good operating practices.

Stack Information:

Height: 10 m

Diameter: 0.20 m

Exit Temperature (°C): 100

EMISSION SOURCE 6: MDI, Polyol, Flame Retardant, Surfactant, Activator Tanks discharging through a Stack(s).

MAXIMUM EMISSION FLOW RATE: The authorized maximum rate of discharge is that resulting from vapour venting during tank filling, withdrawing and breathing.

MAXIMUM ANNUAL OPERATING HOURS: 8760 h/y

MAXIMUM EMISSION QUALITY:

1. 0.0062 mg/m³ Methylene diphenyl diisocyanate

WORKS AND PROCEDURES:

10 psi dry air covering blanket and vapour recovery together with good operating practices.

EMISSION SOURCE 7: Pentane Storage Tank discharging through a Vent(s).

MAXIMUM EMISSION FLOW RATE: The authorized maximum rate of discharge is that resulting from vapour venting during tank filling, withdrawing and breathing.

MAXIMUM ANNUAL OPERATING HOURS: 8760 h/y

WORKS AND PROCEDURES:

10 psi Nitrogen blanket and vapour recovery together with good operating practices.

Issued: May 14, 2021


Kathy Preston, Ph.D., P.Eng.
Assistant District Director

Permit GVA1199

METRO VANCOUVER REGIONAL DISTRICT AIR QUALITY MANAGEMENT PERMIT

SECTION 2 – GENERAL REQUIREMENTS AND CONDITIONS

A. AUTHORIZED WORKS, PROCEDURES AND SOURCES

Works and procedures, which this permit authorizes in order to control the discharge of air contaminants, must be employed during all operating periods of the related sources. The Permittee must regularly inspect and maintain all such works, procedures and sources.

The District Director must be provided with reasonable notice of any changes to or replacement of authorized works, procedures or sources. Any changes to or replacement of authorized works, procedures or sources must be approved by the District Director in advance of operation. For certainty, this does not include routine maintenance or repair.

The discharge criteria described in Section 1 of this permit are applicable on the issued or last amended date of this permit unless specified otherwise. If a date different to the issued or last amended date is specified, the existing works, procedures and sources must be maintained in good operating condition and operated in a manner to minimize emissions.

B. NOTIFICATION OF MONITORING NON-COMPLIANCE

The District Director must be notified immediately of any emission monitoring results, whether from a continuous emissions monitor or periodic testing, which exceed the quantity or quality authorized in Section 1 of this permit. Notification must be made to Metro Vancouver's 24-hour number: 604-436-6777, or to regulationenforcement@metrovancover.org.

C. POLLUTION NOT PERMITTED

Notwithstanding any conditions in this permit, no person may discharge or allow or cause the discharge of any air contaminant so as to cause pollution as defined in the Greater Vancouver Regional District Air Quality Management Bylaw No. 1082, 2008 and the Environmental Management Act.

D. BYPASSES


The discharge of air contaminants that have bypassed authorized control works is prohibited unless advance approval has been obtained and confirmed in writing from the District Director.

E. EMERGENCY PROCEDURES

In the event of an emergency or condition beyond the control of the Permittee that prevents effective operation of the authorized works or procedures or leads to unauthorized discharge, the Permittee must:

1. Comply with all applicable statutory requirements;
2. Immediately notify the District Director of the emergency or condition and of contingency actions invoked or planned to mitigate adverse impacts and restore compliance. Notification must be made to Metro Vancouver's 24-hour number: 604-436-6777; and
3. Take appropriate remedial action for the prevention or mitigation of pollution.

Issued: May 14, 2021


Kathy Preston, Ph.D., P.Eng.
Assistant District Director

Permit GVA1199

METRO VANCOUVER REGIONAL DISTRICT AIR QUALITY MANAGEMENT PERMIT

The District Director may specify contingency actions to be implemented to protect human health and the environment while authorized works are being restored and/or corrective actions are being taken to prevent unauthorized discharges.

If an emergency situation results in a "spill" as defined in the Environmental Management Act Spill Reporting Regulation, the spill must also be reported immediately to the Provincial Emergency Program by telephoning 1-800-663-3456.

F. AMENDMENTS


The terms and conditions of this permit may be amended, as authorized by applicable legislation. New works, procedures or sources or alterations to existing works, procedures or sources must receive authorization in advance of operation.

G. STANDARD CONDITIONS AND DEFINITIONS

Unless otherwise specified, the following applies to this permit:

1. Gaseous volumes are corrected to standard conditions of 20 degrees Celsius ($^{\circ}\text{C}$) and 101.325 kilo Pascals (kPa) with zero percent moisture.
2. Contaminant concentrations from the combustion of specific fuel types are corrected to the following Oxygen content, unless specified otherwise:
 - 3% O_2 for natural gas and fuel oil; or
 - 8% O_2 for wood fuel
3. Where compliance testing is required, each contaminant concentration limit in this permit will be assessed for compliance based on a valid test using test methods approved by the District Director.
4. Visual opacity measurements are made at the point of maximum density, nearest the discharge point and exclude the effect of condensed, uncombined water droplets. Compliance determinations are based on a six-minute average in accordance with the United States Environmental Protection Agency (US EPA) Method 9: Visual Determination of the Opacity of Emissions from Stationary Sources. Continuous Emission Monitor System (CEMS) opacity compliance determinations are based on a one-hour average (taken from the top of each hour).
5. If authorized in Section 1 of this permit, standby fuel use is restricted to a maximum of 350 hours per year and to those periods during which the primary authorized fuel is not available. Fuel oil sulphur content shall not exceed 15 milligrams per kilogram (mg/kg) and emissions during fuel oil firing shall not exceed 10% opacity.
6. Definitions in the Environmental Management Act and Air Quality Management Bylaw apply to terminology used in this permit.
7. Threshold Limit Values (TLV) refer to the Time Weighted Average (TWA) exposure limits for substances specified in the American Conference of Governmental Industrial Hygienists Threshold Limit Values handbook, current on the latest date that this permit issuance or amendment came into effect.
8. Sulphur Oxides (SO_x) are expressed as Sulphur Dioxide.
9. Nitrogen Oxides (NO_x) are expressed as Nitrogen Dioxide.

Issued: May 14, 2021


Kathy Preston, Ph.D., P.Eng.
Assistant District Director

Permit GVA1199

METRO VANCOUVER REGIONAL DISTRICT AIR QUALITY MANAGEMENT PERMIT

10. The Canadian Council of Ministers of the Environment (CCME) "Environmental Guidelines for Controlling Emissions of Volatile Organic Compounds from Aboveground Storage Tanks (PN1180)" shall be adhered to for all applicable tanks unless otherwise stated in this permit.
11. Authorized 'Maximum Annual Operating Hours' of 8760 hours per year for an emission source is equivalent to authorization for continuous operation of the emission source for an entire calendar year, including leap years.


H. RECORDS RETENTION

All records and supporting documentation relating to this permit must be kept for at least three years after the date of preparation or receipt thereof, and be made available for inspection within 48 hours of a request by an Officer.

I. HEATING, VENTILATION, AIR CONDITIONING AND INTERNAL COMBUSTION ENGINES

Any natural gas-fired heating, ventilation or air conditioning system for buildings and any internal combustion engine located at the discharge site must be maintained and operated in a manner prescribed by the manufacturer to ensure good combustion of the fuel with minimum discharge of air contaminants.

Issued: May 14, 2021


Kathy Preston, Ph.D., P.Eng.
Assistant District Director

Permit GVA1199

METRO VANCOUVER REGIONAL DISTRICT AIR QUALITY MANAGEMENT PERMIT

SECTION 3 – REPORTING REQUIREMENTS

A. MONITORING REQUIREMENTS AND REPORTING

Unless otherwise approved in writing by the District Director prior to any sampling or analysis, all measurements must be performed by an independent agency in accordance with Metro Vancouver Air Emissions Sampling Program Manual of Methods and Standard Operating Procedures and the BC Ministry of Environment Field Sampling Manual, as they may be amended from time to time. Any variance from these procedures must receive prior written approval from the District Director.


A minimum of 5 working days advance notice must be given prior to taking measurements required by this Monitoring and Sampling Program. Notification must be given to the Metro Vancouver Environmental Regulation & Enforcement Division (phone 604-436-6777, Fax 604-436-6707, email regulationenforcement@metrovancover.org).

Unless otherwise specified, sampling must be performed under operating conditions representative of the previous 90 calendar days of operation. All field data and calculations must be submitted with monitoring results and they must be reported in the metric units that are used in this permit. These submissions must include process data relevant to the operation of the source of the emissions and the performance of the emission control works.

Unless otherwise specified or approved in writing by the District Director, stack sampling must not occur more than 120 calendar days prior to the due dates specified below.

The Permittee must conduct the following monitoring and sampling and submit electronic reports of the results to the District Director by the due dates specified in the following table using a password enabled web based application provided by Metro Vancouver.

Issued: May 14, 2021



Kathy Preston, Ph.D., P.Eng.
Assistant District Director

Permit GVA1199

METRO VANCOUVER REGIONAL DISTRICT AIR QUALITY MANAGEMENT PERMIT

EMISSION SOURCE	INITIAL DUE DATE	SUBSEQUENT DUE DATES	REQUIREMENT	PARAMETER(S)	TEST METHOD	REPORT TYPE/TITLE
1, 2, 3	November 30, 2021	On or before November 30 for each subsequent year.	Annual testing may be conducted at any time during the calendar year prior to the due date. Results are to be reported within 30 days upon receipt of the final report. Non-compliant results are to be reported upon receipt of such results.	Pentane	EPA Test Method 25A	THC Stack Testing Stack
3	November 30, 2022	Every 2 years, on or before November 30 every second year.	Testing may be conducted at any time during the calendar year prior to the due date in which testing is required. Results are to be reported within 30 days upon receipt of the final report. Non-compliant results are to be reported upon receipt of such results.	Particulate Matter		Cutting Line Baghouse Particulate Stack Test Stack

Issued: May 14, 2021


 Kathy Preston, Ph.D., P.Eng.
 Assistant District Director

Permit GVA1199


METRO VANCOUVER REGIONAL DISTRICT AIR QUALITY MANAGEMENT PERMIT

B. INFORMATION REPORTING REQUIREMENTS

The Permittee must submit electronic reports containing the required information to the District Director by the due dates specified in the following table using a password enabled web based application provided by Metro Vancouver.

EMISSION SOURCE	INITIAL DUE DATE	SUBSEQUENT DUE DATES	REQUIREMENT	REPORT TYPE/TITLE
5	March 31, 2022	On or before March 31 for each subsequent year.	Written report providing details of the types and amounts of fuel burned in the preceding calendar year.	Fuel Use
Facility	March 31, 2022	On or before March 31 for each subsequent year.	Written report providing details of the types and amounts of principal products produced and principal raw materials used in the preceding calendar year as well as the number of bundles of finished product produced in the preceding calendar year.	Materials and Products
1, 3, 5	March 31, 2022	On or before March 31 for each subsequent year.	Written report providing details of the total number of hours and days operated in the preceding calendar year. Detailed records are to be maintained in a format approved by the District Director and made available for inspection by Metro Vancouver staff for a minimum period of three years.	Operating Period
Facility	March 31, 2022	On or before March 31 for each subsequent year.	Written report providing details of the types, amounts and end use of materials containing volatile organic compounds (e.g. solvents, inks and paints) used in the preceding calendar year.	Solvent Use

Issued: May 14, 2021


Kathy Preston, Ph.D., P.Eng.
Assistant District Director

Permit GVA1199

METRO VANCOUVER REGIONAL DISTRICT AIR QUALITY MANAGEMENT PERMIT


C. AMENDED OR ADDITIONAL REQUIREMENTS

Based on the results of the monitoring program, including the stack sampling results or any other information, the District Director may:

1. Amend the monitoring and reporting requirement of any of the information required by this Permit including plans, programs and studies.
2. Require additional investigations, tests, surveys or studies.

Issued: May 14, 2021

Permit GVA1199



Kathy Preston, Ph.D., P.Eng.
Assistant District Director

METRO VANCOUVER REGIONAL DISTRICT AIR QUALITY MANAGEMENT PERMIT


SECTION 4 – SITE PLAN

LEGAL DESCRIPTION OF DISCHARGE SITE: Parcel Identifier: 006-114-270
LOT 64 DISTRICT LOTS 312 AND 351 GROUP 1 NEW WESTMINSTER DISTRICT PLAN 46759

The following site plan is not to scale and the locations of the discharge points are approximate.



Issued: May 14, 2021


Kathy Preston, Ph.D., P.Eng.
Assistant District Director

Permit GVA1199